
Basement Development Specifications for: Per	rmit # Wagner Inspection
Manage	wn/Village/RM of Services te: @ 225-2265/241-4741 wagnerdp@sasktel.net
Legal Land Location: Phone:Fax:	
Contractor:	
Specifications	Ceiling
Health & Safety Electrical: GFI (Ground Fault Interupter) in bathroom: Bathroom venting:YesNo Smoke Alarms interconnedted with other floors above: YesNo	Type:SuspendedGyproc:Other:Insulation & barrier along joist perimeter:Other
(Smoke alarms are required to be no more than 5m (16'5") from bedroom doors and 15m (49') to any point on the floor level) Walls Type, method & spacing of anchoring: Wall Height: Insulation & barrier:	Fireplace:NoneGas: Electric:Wood: (Provide fireplace manufacture's installation and combustion air source specifications) Provide a return air to the furnace for the basement.
Envelope the wall from grade on the foundation side, down to bottom plate, then up to joists on interior side; Example 2, Page 3 nside finish:	Sketch of development on the reverse side or attach it
For bedrooms windows are to be sized as per Examples 1, Page 2 for egress in case of a fire)	

Window requirements for bedrooms in a basement development - Example 1



Wall Detail - Example 2

тадимиравакими.по

Wagner Inspection
Services
Contact Dale
@
225-2265/241-4741
wagnerdp@sasktcl.net

